



PHILIPPINE MARINE CORPS  
**OFFICE OF THE PMC BIDS AND AWARDS COMMITTEE**  
Marine Barracks Rudiardo Brown, Fort Bonifacio, Taguig City

02 May 2024

**Supplemental/Bid Bulletin No.1**

**Supply and Delivery of Materials for the Procurement of C4ISR Equipment of PKO Bn**  
with an ABC of **Twenty-Five Million Four Hundred Forty-Four Thousand Three Hundred Twenty-Six Pesos and 81/100**  
**(PhP25,444,326.81)**

This Supplemental/Bid Bulletin is issued to inform prospective bidders the modifications/amendments that shall form part of the bidding documents for the project: **Supply and Delivery of Materials for the Procurement of C4ISR Equipment of PKO Bn (C4ISR-PMCBAC-2024-10)**.to wit:

**Amendment in the Bidding Documents:**

Item	Reference (from)	Amendments (to)
1	<b><u>Section II. Instruction to Bidders</u></b>  2. Funding Information  2.2 The source of funding is <b>NGA, National Expenditure Program.</b>	<b><u>Section II. Instruction to Bidders</u></b>  2. Funding Information  2.2 The source of funding is <b>GAA, General Appropriation Act.</b>
2	<b><u>Section II. Instruction to Bidders</u></b>  5. Eligible Bidders	<b><u>Section II. Instruction to Bidders</u></b>  5. Eligible Bidders

	<p>5.3 Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:</p> <p><b>For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.</b></p> <p><b>For the procurement of Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (25%) of the ABC.</b></p>	<p>5.3 Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:</p> <p><b>The Bidder must have completed a similar Government and/or Private Contracts are undertaken for the past five (5) years with an equivalent amount of at least 50% of the total ABC; or a statement of at least two (2) similar completed Government and/or Private Contracts with an aggregate amount of at least 50% of the total ABC, the largest of these similar contracts must be equivalent to at least 25% of the total ABC.</b></p>
3	<p><b><u>Section II. Instruction to Bidders</u></b></p> <p><b>7. Subcontracts</b></p> <p>7.1 The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein but in no case more than twenty percent (20%) of the Project.</p> <p><b>The Procuring Entity has prescribed that: Subcontracting is not allowed.</b></p>	<p><b><u>Section II. Instruction to Bidders</u></b></p> <p><b>7. Subcontracts</b></p> <p><b>The Procuring Entity has prescribed that: Subcontracting is not allowed.</b></p>
4	<p><b><u>Section V. Special Conditions of Contract</u></b></p> <p><b>Payment-</b> Payment will be one-time payment in the form of check or thru Letter of Credit in accordance with the guidelines issued by the GPPB.</p>	<p><b><u>Section V. Special Conditions of Contract</u></b></p> <p><b>Payment-</b> Payment will be one-time payment in the form of check or thru Letter of Credit in accordance with the guidelines issued by the GPPB.</p>

Before payment is made, the bidder is required to submit the following documents:

1. Business or Mayor's permit, in case an expired Business or Mayor's permit with Official Receipt of renewal application was submitted during SOBE
2. Duly notarized statements from all the potential joint venture partners in accordance with Section 23.1(b) of the IRR, if applicable
3. Notarized Omnibus Sworn Statement with Notarized Special Power of Attorney or Secretary's Certificate, whichever is applicable
4. Notarized Warranty Certificate from the Supplier
5. Notarized PSD, in case an un-notarized PSD was submitted in lieu of performance security mentioned ITB Clause 32.2.

**Section VI. Schedule of Requirements**

Items	Description / Nomenclature	Quantity
4	Quadcopter Drone (with general purpose camera payload)	1 ea
5	Quadcopter Drone (with Night Vision camera)	1 ea

**Section VI. Schedule of Requirements**

Items	Description / Nomenclature	Quantity
4	Quadcopter drone Payload (general purpose camera)	1 ea
5	Quadcopter drone Payload (Night Vision Camera)	1 ea

6	<b><u>Section VII. Technical Specifications</u></b>					<b><u>Section VII. Technical Specifications</u></b>																							
	<p align="center"><b>Lot 2</b> Supply and Delivery of Materials for the Procurement of Portable Earth Station of PKOBN</p> <table border="1"> <thead> <tr> <th>Item Nr</th> <th>Item</th> <th>Qty</th> <th>U/I</th> <th>Specifications</th> </tr> </thead> <tbody> <tr> <td align="center">2</td> <td>(Type-C Portable Earth Station)</td> <td align="center">2</td> <td align="center">ea</td> <td>Channel Spacing <b>-5</b> kHz</td> </tr> </tbody> </table>					Item Nr	Item	Qty	U/I	Specifications	2	(Type-C Portable Earth Station)	2	ea	Channel Spacing <b>-5</b> kHz	<p align="center"><b>Lot 2</b> Supply and Delivery of Materials for the Procurement of Portable Earth Station of PKOBN</p> <table border="1"> <thead> <tr> <th>Item Nr</th> <th>Item</th> <th>Qty</th> <th>U/I</th> <th>Specifications</th> </tr> </thead> <tbody> <tr> <td align="center">2</td> <td>(Type-C Portable Earth Station)</td> <td align="center">2</td> <td align="center">ea</td> <td>Channel Spacing <b>5</b> kHz</td> </tr> </tbody> </table>					Item Nr	Item	Qty	U/I	Specifications	2	(Type-C Portable Earth Station)	2	ea
Item Nr	Item	Qty	U/I	Specifications																									
2	(Type-C Portable Earth Station)	2	ea	Channel Spacing <b>-5</b> kHz																									
Item Nr	Item	Qty	U/I	Specifications																									
2	(Type-C Portable Earth Station)	2	ea	Channel Spacing <b>5</b> kHz																									
7	<b><u>Section VII. Technical Specifications</u></b>					<b><u>Section VII. Technical Specifications</u></b>																							
	<p align="center"><b>Lot 3</b> Supply and Delivery of Materials for the Procurement of Technical and Scientific Equipment of PKO Bn</p> <table border="1"> <thead> <tr> <th>Item Nr</th> <th>Item</th> <th>Qty</th> <th>U/I</th> <th>Specifications</th> </tr> </thead> <tbody> <tr> <td align="center">4</td> <td><b>Quadcopter drone (with general purpose camera payload)</b></td> <td align="center">1</td> <td align="center">ea</td> <td>➤ (Key Features- 20MP zoom camera, 23x hybrid optical zoom, 12MP wide camera, 1200m LRF, LRF wave length:905 nm, <b>Night scéen mode</b>, IP44 rating)/ Sensors: 1/2.3 inch CMOS 12MP, wide camera (JPEG, MP4), 1/1.7 inch CMOS 20 MP 2x-200x, Tele Camera (JPEG, MP4)/ Dimension (LxWxH)- 150x114x151mm</td> </tr> </tbody> </table>					Item Nr	Item	Qty	U/I	Specifications	4	<b>Quadcopter drone (with general purpose camera payload)</b>	1	ea	➤ (Key Features- 20MP zoom camera, 23x hybrid optical zoom, 12MP wide camera, 1200m LRF, LRF wave length:905 nm, <b>Night scéen mode</b> , IP44 rating)/ Sensors: 1/2.3 inch CMOS 12MP, wide camera (JPEG, MP4), 1/1.7 inch CMOS 20 MP 2x-200x, Tele Camera (JPEG, MP4)/ Dimension (LxWxH)- 150x114x151mm	<p align="center"><b>Lot 3</b> Supply and Delivery of Materials for the Procurement of Technical and Scientific Equipment of PKO Bn</p> <table border="1"> <thead> <tr> <th>Item Nr</th> <th>Item</th> <th>Qty</th> <th>U/I</th> <th>Specifications</th> </tr> </thead> <tbody> <tr> <td align="center">4</td> <td><b>Quadcopter drone Payload (general purpose camera)</b></td> <td align="center">1</td> <td align="center">ea</td> <td>➤ (Key Features- 20MP zoom camera, 23x hybrid optical zoom, 12MP wide camera, 1200m LRF, LRF wave length:905 nm, IP44 rating)/ Sensors: 1/2.3 inch CMOS 12MP, wide camera (JPEG, MP4), 1/1.7 inch CMOS 20 MP 2x-200x, Tele Camera (JPEG, MP4)/ Dimension (LxWxH)- 150x114x151mm</td> </tr> </tbody> </table>					Item Nr	Item	Qty	U/I	Specifications	4	<b>Quadcopter drone Payload (general purpose camera)</b>	1	ea
Item Nr	Item	Qty	U/I	Specifications																									
4	<b>Quadcopter drone (with general purpose camera payload)</b>	1	ea	➤ (Key Features- 20MP zoom camera, 23x hybrid optical zoom, 12MP wide camera, 1200m LRF, LRF wave length:905 nm, <b>Night scéen mode</b> , IP44 rating)/ Sensors: 1/2.3 inch CMOS 12MP, wide camera (JPEG, MP4), 1/1.7 inch CMOS 20 MP 2x-200x, Tele Camera (JPEG, MP4)/ Dimension (LxWxH)- 150x114x151mm																									
Item Nr	Item	Qty	U/I	Specifications																									
4	<b>Quadcopter drone Payload (general purpose camera)</b>	1	ea	➤ (Key Features- 20MP zoom camera, 23x hybrid optical zoom, 12MP wide camera, 1200m LRF, LRF wave length:905 nm, IP44 rating)/ Sensors: 1/2.3 inch CMOS 12MP, wide camera (JPEG, MP4), 1/1.7 inch CMOS 20 MP 2x-200x, Tele Camera (JPEG, MP4)/ Dimension (LxWxH)- 150x114x151mm																									

**Section VII. Technical Specifications**

**Lot 3**

Supply and Delivery of Materials for the Procurement of Technical and Scientific Equipment of PKO Bn

Item Nr	Item	Qty	U/I	Specifications
5	<b>Quadcopter drone (with Night Vision Camera)</b>	1	ea	▶ Key Features- Starlight night vision, 20x hybrid optical zoom, 640x512px thermal camera, laser range finder 1200m, max range synchronized split-screen zoom, intelligent night scene enhancement/ Sensors: 1/2.7 inch CMOS; 2MP, Wide camera (JPEG, MP4) 1/1.8 inch CMOS; 4MP 2X-200x, tele camera (JPEG, MP4), Image: 640x512, Video: 640x512@30fps, 16x, 32x Tele infrared thermal, Camera (R-JPEG, MP4), Image: 640x512; Video: 640x512@30fps, 4x wide infrared, thermal camera (R-JPEG, MP4)

8

**Section VII. Technical Specifications**


**Lot 3**

Supply and Delivery of Materials for the Procurement of Technical and Scientific Equipment of PKO Bn

Item Nr	Item	Qty	U/I	Specifications
5	<b>Quadcopter drone Payload (Night Vision Camera)</b>	1	ea	▶ Key Features- Starlight night vision, 20x hybrid optical zoom, 640x512px thermal camera, laser range finder 1200m, max range synchronized split-screen zoom, intelligent night scene enhancement/ Sensors: 1/2.7 inch CMOS; 2MP, Wide camera (JPEG, MP4) 1/1.8 inch CMOS; 4MP 2X-200x, tele camera (JPEG, MP4), Image: 640x512, Video: 640x512@30fps, 16x, 32x Tele infrared thermal, Camera (R-JPEG, MP4), Image: 640x512; Video: 640x512@30fps, 4x wide infrared, thermal camera (R-

					JPEG, MP4)
--	--	--	--	--	------------

This Supplemental/Bid Bulletin No.1 shall be considered an integral part of the bidding documents.

  
**BOB R APOSTOL**  
Colonel PN(M)(MNSA)  
Chairperson, PMCBAC